


pico 120 degree desk datasheet & environmental report

Extent of Range

Pico 120 Degree desks are available with 3 leg frames; goalpost leg, A frame leg and rectangular loop leg



Delivery

This range is delivered pre-assembled by the Flexiform installation team, wrapped for protection.

Product Warranty

15 years subject to our standard T&C's. See the Flexiform Standard Warranty document for more information.

Features

Workstations: 1 persons, 2 persons or 3 persons. Extensions available. Contact Flexiform for details.

Frame: formed from cut steel tube for strength.

Beams: formed from 40mm x 25mm tube for strength.

Legs: Cut steel tube for strength. Select from goalpost, A frame or rectangular loop.

Tops: MFC fixed top with cable scoop.

Cable Tower: Vertical all steel cable tower in centre of desk to feed cables from grommets to cable trays.

Tested to: Over 200kg of imposed load with minimal deflection.

Screens: Attach directly to frame. Screens are not included.

Height Settable Kits: 40mm, 60mm, 80mm kits available. Fixed height.

Dimensions

Height: 740mm.

Widths: 2200mm or 2400mm.

Depth: 1250mm or 1450mm.

Components

Cable tray can be fitted underneath.

Product Certificate

BS EN 527 - 1 2011 Type C and BS EN ISO 9241:1999 - Part 5

Materials

MFC Top Panels: 25mm melamine faced chipboard (M.F.C) with 2mm ABS matching edging or contrasting edging. British standard 476 class 1 surface spread of flame. Meets E1 European standards on Formaldehyde emissions.

Steel: Powder coated steel with minimum paint coverage thickness of 35 Microns. Indentation, cross cut+adhesion and bend tested.

MFC Band 1 Finishes



White 25mm MFC with matching edge. Code: WHM



Grey 25mm MFC with matching edge. Code: MOG



Dust Grey 25mm MFC with matching edge. Code: DGM



Oak 25mm MFC with matching edge. Code: MOK*



Walnut 25mm MFC with matching edge. Code: MOW*



White 25mm MFC with contrasting oak edge. Code: WHO



White 25mm MFC with contrasting black edge. Code: WHB

**Please note, we cannot guarantee continuity of these finishes.*

MFC Band 2 Finishes



Cashmere Grey 25mm MFC with matching edge. Code: MSC



Antique Rose 25mm MFC with matching edge. Code: MAR



Denim Blue 25mm MFC with matching edge. Code: MDB



Reed Green 25mm MFC with matching edge. Code: MRG



Sevilla Ash 25mm MFC with matching edge. Code: MSA



Natural Nebraska Oak 25mm MFC with matching edge. Code: MNO




Natural Hamilton Oak 25mm MFC with matching edge. Code: MHO



Truffle Brown Denver Oak 25mm MFC with matching edge. Code: MDO



Natural Carini Walnut 25mm MFC with matching edge. Code: MCW



Light grey Chicago Concrete 25mm MFC with matching edge. Code: MCC

Standard Steel Finishes.



Black. RAL9005. Matt.
Code: BLM



Graphite Grey. RAL7024. Matt
Code: GGM



Silver. RAL9006. Matt
Code: JOM



Pale Grey. RAL7035. Matt
Code: PGM



White. RAL9016. Matt
Code: JWM



Pale Brown. RAL8025. Matt
Code: BPM



Grey Beige. RAL1019. Matt
Code: BGM



Beige. BS10B19. Matt
Code: BBM



Light Ivory. RAL1015. Matt
Code: BIM



Olive Green. RAL6003. Matt
Code: GOM



Fern Green. RAL6025. Matt
Code: GFM



Reed Green. RAL6013. Matt
Code: GRM



Black Green. RAL6012. Matt
Code: GBM



Pine Green. RAL6028. Matt
Code: GPM



Patina Green. RAL6000. Matt
Code: GAM



Pale Green. RAL6021. Matt
Code: GCM

Standard Steel Finishes Continued.



Sapphire Blue. RAL5003. Matt
Code: USM



Violet Blue. RAL5000. Matt
Code: UVM



Distant Blue. RAL5023. Matt
Code: UDM



Pastel Blue. RAL5024. Matt
Code: UPM



Purple Red. RAL3004. Matt
Code: RPM



Red Violet. RAL4002. Matt
Code: RLM



Orient Red. RAL3031. Matt
Code: ROM



Beige Red. RAL3012. Matt
Code: RBM



Tomato Red. RAL3013. Matt
Code: RTM



Salmon Pink. RAL3022. Matt
Code: PSM



Yellow Red. RAL2000. Matt
Code: OYM



Broom Yellow. RAL1032. Matt
Code: YBM

Product Carbon Footprint

Our carbon footprint data is based on a life cycle assessment on a 1400mm x 800mm Pico Desk. Product weight: 46.8kg. Information extracted from report 'Product Carbon Footprint and Environmental Impact Assessments' prepared by Eco3, 2017.


Carbon Footprint: 80Kg CO₂e.

Product Environmental Certification



Product Recyclable Content

Approximately 86% recyclable.



- Supply Chain Transport
- Materials & Sub Assemblies
- In-House Processing