


Extent of Range

Pico side-to-side desks are available with 3 leg frames; goalpost leg, A frame leg and rectangular loop leg.



Delivery

This range is delivered pre-assembled by the Flexiform installation team, wrapped for protection.

Product Warranty

15 years subject to our standard T&C's. See the Flexiform Standard Warranty document for more information.

Features

Type: 1 person workstation starter with 1 persons extensions. Eg. 2 persons, 3 persons, 4 persons. Extensions are unlimited. Contact Flexiform for details. Frame: formed from cut steel tube for strength.

Beams: formed from 40mm x 25mm tube for strength.

Legs: Cut steel 60mm x 30mm tube for strength. Select from goalpost, A frame or rectangular loop.

Tops: MFC fixed top or sliding top for access to cables.

Cable Tower: Vertical all steel cable tower in centre of desk to feed cables from grommets to cable trays.

Tested to: Over 200kg of imposed load with minimal deflection.

Screens: Attach directly to frame. Screens are not included.

Height Settable Capabilities: 40mm, 60mm, 80mm height settable kits available. Fixed height.

Dimensions

Height: 740mm.

Widths: 800mm, 1000mm, 1200mm, 1400mm, 1600mm and 1800mm.

Depth: 600mm or 800mm.

Components

Cable tray can be fitted underneath.

Materials

MFC Top Panels: 25mm melamine faced chipboard (M.F.C) with 2mm ABS matching edging or contrasting edging. British standard 476 class 1 surface spread of flame. Meets E1 European standards on Formladehyde emissions.

Steel: Powder coated steel with minimum paint coverage thickness of 35 Microns. Indentation, cross cut+adhesion and bend tested.




MFC Band 1 Finishes		Standard Steel Finishes.		Standard Steel Finishes Continued.	
	White 25mm MFC with matching edge. Code: WHM		Black. RAL9005. Matt. Code: BLM		Sapphire Blue. RAL5003. Matt Code: USM
	Grey 25mm MFC with matching edge. Code: MOG		Graphite Grey. RAL7024. Matt Code: GGM		Violet Blue. RAL5000. Matt Code: UVM
	Dust Grey 25mm MFC with matching edge. Code: DGM		Silver. RAL9006. Matt Code: JOM		Distant Blue. RAL5023. Matt Code: UDM
	Oak 25mm MFC with matching edge. Code: MOK*		Pale Grey. RAL7035. Matt Code: PGM		Pastel Blue. RAL5024. Matt Code: UPM
	Walnut 25mm MFC with matching edge. Code: MOW*		White. RAL9016. Matt Code: JWM		Purple Red. RAL3004. Matt Code: RPM
	White 25mm MFC with contrasting oak edge. Code: WHO		Pale Brown. RAL8025. Matt Code: BPM		Red Violet. RAL4002. Matt Code: RLM
	White 25mm MFC with contrasting black edge. Code: WHB		Grey Beige. RAL1019. Matt Code: BGM		Orient Red. RAL3031. Matt Code: ROM
*Please note, we cannot guarantee continuity of these finishes.			Beige. BS10B19. Matt Code: BBM		Beige Red. RAL3012. Matt Code: RBM
MFC Band 2 Finishes			Light Ivory. RAL1015. Matt Code: BIM		Tomato Red. RAL3013. Matt Code: RTM
	Cashmere Grey 25mm MFC with matching edge. Code: MSC		Olive Green. RAL6003. Matt Code: GOM		Salmon Pink. RAL3022. Matt Code: PSM
	Antique Rose 25mm MFC with matching edge. Code: MAR		Fern Green. RAL6025. Matt Code: GFM		Yellow Red. RAL2000. Matt Code: OYM
	Denim Blue 25mm MFC with matching edge. Code: MDB		Reed Green. RAL6013. Matt Code: GRM		Broom Yellow. RAL1032. Matt Code: YBM
	Reed Green 25mm MFC with matching edge. Code: MRG		Black Green. RAL6012. Matt Code: GBM		
	Sevilla Ash 25mm MFC with matching edge. Code: MSA		Pine Green. RAL6028. Matt Code: GPM		
	Natural Nebraska Oak 25mm MFC with matching edge. Code: MNO		Patina Green. RAL6000. Matt Code: GAM		
	Natural Hamilton Oak 25mm MFC with matching edge. Code: MHO		Pale Green. RAL6021. Matt Code: GCM		
	Truffle Brown Denver Oak 25mm MFC with matching edge. Code: MDO				
VAVI	Natural Carini Walnut 25mm MFC with matching edge. Code: MCW				
1000	Light grey Chicago Concrete 25mm MFC with matching edge. Code: MCC				



Product Carbon Footprint

Our carbon footprint data is based on a life cycle assessment on a 1400mm x 800mm Pico Desk. Product weight: 46.8kg. Information extracted from report 'Product Carbon Footprint and Environmental Impact Assessments' prepared by Eco3, 2017.

Carbon Footprint: 80Kg CO2e.



Materials & Sub Assemblies

In-House Processing

Product Environmental Certification







Product Recyclable Content Approximately 86% recyclable.

