




jot-up sit/stand desks datasheet & environmental report

Extent of Range

Jot-Up desks with electric adjustable electronic lifting columns. Single or back-to-back configurations.



Certificate

BS EN 527:2002 parts 2 & 3 & BS 6396:2008.

Delivery

This range is assembled on site by the Flexiform installation team, wrapped for protection.

Product Warranty

7 years subject to our standard T&C's. See the Flexiform Standard Warranty document for more information

Features

Type: Height adjustable desks.

Legs: Full cable managed legs.

Lifting Columns: Full height adjustable electronic columns.

Upper Frame: 12swg Slide Rail support arms, welded to 12swg Folded Centre Channel.

Top Cable Tray: 18swg screwed to top frame assembly.

Bottom Cable Tray: 18swg, with LDPE cable grommets.

End Towers: Folded and welded steel assembly with feet levellers.

Tops: Rectangular 25mm MFC with ABS edging

Cable Management: Cables feed up enclosed central cable towers which have removable panels in to a central bottom cable tray. Cables then feed up cable snakes in to the worktops individual cable trays which feed on desk power and electrical equipment.

Standby Mode: 0.1 watts of power consumption in standby mode.

Max Speed: 38mm per second (unloaded).

Max Thrust: 1200N per column.

Lifting Capacity: 800N per column (80Kg's).

Sound Level: Below 55dB(A) in typical applications

Mains Voltage: 230V AC, 50Hz.

PVC: PVC free.

Battery Operated: High performance lithium-ion battery with capacity of 2.2Ah with LED charge level indicator.

Controls: Tactile Up/Down switch.

Sensors: Integrated sensor minimising the risk of damage to hard objects.

Levelling Feet: Included.

Optional Software Features

Software Connection: Cable connects computer to the desk.

Reminders: Prompts the user to stand a selected percentage of an hour, every hour.

Display: Displays current desk height.

User Statistics: Counts calories burned while standing and minutes standing.

Memory Positions: Up to 3 memory positions.

Languages: English, German, French, Spanish, Italian, Korean, Chinese and Japanese.

Computer Compatibility: Mac, PC and Surface tablets (Windows 7, Windows 8 or higher or Mac OS (minimum OS 10.7)).

Data: Statistics can be exported to Excel sheets.

Optional Components

Screens, CPU holder, Lithium Ion Battery Pack, and Spacing Brackets to ensure a row of desks comply with the relevant safety standards.

flexiform

Dimensions

Fixed Height: 740mm.

Height Settable: 665mm - 1015mm.

Height Adjustable: 610mm - 1260mm.

Widths: 970mm, 1170mm, 1370mm,
1570mm, 1770mm.

Single Desk Depth: 780mm.

Back-to-Back Desk Depth: 1650mm.

Materials


MFC Top Panels: 25mm melamine faced chipboard (M.F.C) with 2mm ABS matching edging or contrasting edging. British standard 476 class 1 surface spread of flame. Meets E1 European standards on Formaldehyde emissions.

Steel: Powder coated steel with minimum paint coverage thickness of 35 Microns. Indentation, cross cut+adhesion and bend tested.

Lifting Column & Base Steel Finishes



Black. RAL9005
Code: BLM



Silver. RAL9006
Code: JOM



White. RAL9016
Code: JWM

MFC Band 1 Finishes



White 25mm MFC with matching edge. Code: WHM



Grey 25mm MFC with matching edge. Code: MOG



Dust Grey 25mm MFC with matching edge. Code: DGM



Oak 25mm MFC with matching edge. Code: MOK*



Walnut 25mm MFC with matching edge. Code: MOW*



White 25mm MFC with contrasting oak edge. Code: WHO



White 25mm MFC with contrasting black edge. Code: WHB

**Please note, we cannot guarantee continuity of these finishes.*

MFC Band 2 Finishes



Cashmere Grey 25mm MFC with matching edge. Code: MSC




Antique Rose 25mm MFC with matching edge. Code: MAR



Denim Blue 25mm MFC with matching edge. Code: MDB



Reed Green 25mm MFC with matching edge. Code: MRG



Sevilla Ash 25mm MFC with matching edge. Code: MSA



Natural Nebraska Oak 25mm MFC with matching edge. Code: MNO



Natural Hamilton Oak 25mm MFC with matching edge. Code: MHO



Truffle Brown Denver Oak 25mm MFC with matching edge. Code: MDO



Natural Carini Walnut 25mm MFC with matching edge. Code: MCW




Light grey Chicago Concrete 25mm MFC with matching edge. Code: MCC

Product Carbon Footprint

Our carbon footprint data is based on a life cycle assessment on a 1400mm x 1650mm Jot-Up height adjustable desk. Product weight: 84.26kg. Information extracted from report 'Product Carbon Footprint and Environmental Impact Assessments' prepared by Eco3, 2017.

Carbon Footprint: 200Kg CO₂e.

Product Environmental Certification



-  Supply Chain Transport
-  Materials & Sub Assemblies
-  In-House Processing